

POST

ISP 1000

POST

POST Sample Source

```
<html>
<head>
  <title> POST </title>
</head>
<body>
  <form name="PGIOForm" action="https://service.paygate.net/openAPI.jsp"
method="POST">
  <input type=submit value="OpenPay POST">
  <input type=text name=mid value="paygatekr"> // mid
  <input type=text name="charset" value="UTF-8">
  <input type=text name=langcode value="KR">
  <input type=text name=paymethod value="card">
  <input type=text name=unitprice value="1004">
  <input type=text name=goodcurrency value="WON">
  <input type=text name=goodname value="">
  <input type=text name=receipttoname value="">
  <input type=text name=receipttoemail value="dev@paygate.net">
  <input type=text name=receipttotel value="">
  <input type=text name=receipttosocialnumber value="">
  <input type=text name=socialnumber value="">
  <input type=text name=carrier value="">
  <input type=text name=cardauthcode value="">
  <input type=text name=cardtype value="">
  <input type=text name=cardnumber value="">
  <input type=text name=cardsecretnumber size=3 value="">
  <input type=text name=cardexpiremonth size=2 value="">
  <input type=text name=cardexpireyear size=4 value="">
  <input type=text name=cardownernumber size=13 value="">
  <input type=text name=bankcode value="">
  <input type=text name=bankexpyear value="">
  <input type=text name=bankexpmonth value="">
  <input type=text name=bankexpday value="">
  <input type=text name=bankaccount value="">
  <input type=text name=mb_serial_no value="">
  <input type=text name=profile_no value="">
  <input type=text name=hashresult value="">
  <input type=text name=tid value="">
  <input type=text name=replycode value="">
  <input type=text name=replyMsg value="">
  <input type=text name=riskscore value="">
  <input type=text name=redirecturl value="">
</form>
</body>
</html>
```